

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 01.04.2019

**Kerafix® Blähpapier +3 / Kerafix® Blähp**

11731-034

**ROLFKUHN GMBH**

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Kerafix® Blähpapier +3 / Kerafix® Blähpapier N

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Structural fire protection

**1.3. Details of the supplier of the safety data sheet**

Company name:	Rolf Kuhn GmbH	
Street:	Jägersgrund 10	
Place:	D-57339 Erndtebrück	
Telephone:	+49 2753 5945-0	Telefax: +49 2753 5945-21
Contact person:	Anwendungstechnik	
e-mail:	anwendungstechnik@rolfkuhngmbh.com (Contact for technical information)	
Internet:	www.kuhn-brandschutz.com	

**1.4. Emergency telephone**

+49 (0) 6132 / 84463 (GBK GmbH)

**number:**Responsible for the safety data sheet: GBK GmbH, Ingelheim,  
sds@gbk-ingelheim.de**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

**2.2. Label elements****Additional advice on labelling**

The product does not require a hazard warning label in accordance with EC directives.

**2.3. Other hazards**

Release of dust may result from mechanical processing. Breathing dust and fibres may cause temporary irritation to mouth, nose and throat. Ingestion of dust and fibres may cause temporary mechanical irritation of the digestive system. May cause skin and eye irritation in susceptible persons.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

The product contains: Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na<sub>2</sub>O+K<sub>2</sub>O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling one of the note Q conditions, Graphite, Kaolin, special additives.

Hazardous components: not applicable.

**Further Information**

None of the ingredients are radioactive according to the EU Directive EURATOM 96/29.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

The first-aid measures refer to the contact with dust arising during the processing of the product (e.g. sawing, drilling, grinding).

**After inhalation**

Do not breathe dust. In case of inhaling dust (possibly caused by abrasion) the affected person should be moved into fresh air. In case of unwellness seek medical advice.

**After contact with skin**

Remove contaminated clothes and wash before re-use. Wash off immediately with soap and plenty of water.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 01.04.2019

**Kerafix® Blähpapier +3 / Kerafix® Blähp**

11731-034

**ROLFKUHN**GMBH  
PASSIVER TECHNISCHER BRANDSCHUTZ

Page 2 of 7

Consult a doctor if skin irritation persists.

### After contact with eyes

Do not rub eyes - contains inorganic fillers, which irritate the eyes mechanically like other inert materials.  
Remove contact lens. Rinse thoroughly with plenty of water, also under the eyelids. Summon a doctor immediately.

### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Summon a doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

See also chapter: 4.1, 11. Possible symptoms: irritation of skin and the eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product itself does not burn. Fire-extinguishing activities according to surrounding.

#### Unsuitable extinguishing media

Not known.

### 5.2. Special hazards arising from the substance or mixture

None

### 5.3. Advice for firefighters

Protective equipment has to be chosen according to the ambient conditions.

### Additional information

Product itself does not burn.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid the formation and deposition of dust. Do not breathe dust. Use breathing apparatus if exposed to dust.

### 6.2. Environmental precautions

Dispose of in closed containers. Do not discharge into the drains/surface waters/ground water.

### 6.3. Methods and material for containment and cleaning up

Do not stir up dust. Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Must avoid the use of compressed air and sweeping.

### 6.4. Reference to other sections

Information for personal protective equipment look up chapter 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Avoid dust formation.

#### Advice on protection against fire and explosion

No specific fire preventions necessary. Pay attention to general rules of internal fire prevention.

#### Further information on handling

Take the usual precautions when handling with chemicals. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs. Remove contaminated soaked clothing immediately, don't leave to dry.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Protect against physical damage.

#### Hints on joint storage

Do not store with acids. Do not store together with food.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 01.04.2019

### Kerafix® Blähpapier +3 / Kerafix® Blähp

11731-034

# ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 3 of 7

#### Further information on storage conditions

Protect from heat and direct solar radiation. Keep from freezing. Protect from moisture. To be kept tightly closed, in a cool and dry place.

#### 7.3. Specific end use(s)

Structural fire protection

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1332-58-7	Kaolin respirable dust	-	2		TWA (8 h)	WEL

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical and organisational measures must be applied preferentially (personal protection equipment must not be a permanent arrangement). Ensure adequate ventilation, especially in confined areas. Avoid the formation and deposition of dust.

##### Protective and hygiene measures

Take the usual precautions when handling with chemicals.

Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and wash before re-use.

##### Eye/face protection

Eye wash bottle with pure water (EN 15154).

Tightly fitting goggles (EN 166).

##### Hand protection

Protective gloves (EN 374) Safety gloves for the site (EN420, Cat. 1 or 2).

Suitable materials also for extended, direct contact (recommended: protection index 6, corresponding to a permeation rate > 480 minutes according to EN 374): Nitrile rubber/nitrile latex - NBR (0,35 mm)

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

##### Skin protection

Wear closed/long working clothes.

##### Respiratory protection

Breathing apparatus (particle filter P2) only if dust is formed.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: flexible mat / Sheet  
Colour: grey with black speckles  
Odour: odourless

pH-Value: Not applicable

##### Changes in the physical state

Melting point: Not applicable

Initial boiling point and boiling range: Not applicable

Sublimation point: Not applicable

Decomposition temperature: ~ 200 °C

Flash point: Not applicable

Sustaining combustion: Not sustaining combustion

##### Flammability



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 01.04.2019

### Kerafix® Blähpapier +3 / Kerafix® Blähp

11731-034

# ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 4 of 7

Solid: Not applicable

#### Explosive properties

The product is not explosive.

Lower explosion limits: Not determined

Upper explosion limits: Not determined

Ignition temperature: Not applicable

#### Auto-ignition temperature

Solid: Not applicable

Decomposition temperature: Not determined

#### Oxidizing properties

The product is not self-igniting

Vapour pressure: Not applicable

Density (at 20 °C): 200 - 500 g/cm<sup>3</sup>

#### Solubility in other solvents

Not determined

Partition coefficient: Not applicable

Viscosity / dynamic:  
(at 20 °C) Not determined

Viscosity / kinematic: Not determined

Flow time: Not applicable

### 9.2. Other information

Solid content: 100 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Under the influence of high temperature starts a physico-chemical reaction which increase the volume (>= 200 °C).

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

Avoid effect of heat.

### 10.5. Incompatible materials

Strong oxidizing agents, strong acids and strong bases.

### 10.6. Hazardous decomposition products

Ammonia, aldehydes, alcohols, organic acids, carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO), sulfur oxides, nitrous oxides (NO<sub>x</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

No toxicological data available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 01.04.2019

### Kerafix® Blähpapier +3 / Kerafix® Blähp

11731-034

# ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 5 of 7

Based on available data, the classification criteria are not met.

Breathing dust and fibres may cause temporary irritation to mouth, nose and throat. Ingestion of dust and fibres may cause temporary mechanical irritation of the digestive system. Prolonged contact may irritate skin. Do not rub eyes - contains inorganic fillers, which irritate the eyes mechanically like other inert materials.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Further information

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Chemically inert.

### 12.2. Persistence and degradability

Not readily degradable.

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT substance.

### 12.6. Other adverse effects

Not known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Disposal in accordance with local regulations.

#### Waste disposal number of waste from residues/unused products

170904 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); other construction and demolition wastes; mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

#### Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 01.04.2019

**Kerafix® Blähpapier +3 / Kerafix® Blähp**

11731-034

# ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 6 of 7

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

### Other applicable information

Not applicable. No hazardous material as defined by the transport regulations.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

2004/42/EC (VOC): 0%

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### Additional information

This substance is not classified as dangerous in according to Directive 67/548/EEC.

This substance is not classified as dangerous in according to Regulation (EC) No 1272/2008. (GHS)  
(Not skin irritating. No references to carcinogenic toxic effects.)

#### National regulatory information

Water contaminating class (D): - - not water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

Update 2019

### Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
(Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 01.04.2019

**Kerafix® Blähpapier +3 / Kerafix® Blähp**

11731-034

**ROLFKUHN**GMBH  
PASSIVER TECHNISCHER BRANDSCHUTZ

Page 7 of 7

---

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

