

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 18.03.2019

Kerafix® Firestop Putty

11731-022

ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kerafix® Firestop Putty

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Acrylic sealant

Structural fire protection

1.3. Details of the supplier of the safety data sheet

Company name:	Rolf Kuhn GmbH	
Street:	Jägersgrund 10	
Place:	D-57339 Erndtebrück	
Telephone:	+49 2753 5945-0	Telefax: +49 2753 5945-21
Contact person:	Anwendungstechnik	
e-mail:	anwendungstechnik@rolfkuhngmbh.com (Contact for technical information)	
Internet:	www.kuhn-brandschutz.com	

1.4. Emergency telephone number:

+49 (0) 6132 / 84463 (GBK GmbH)

Responsible for the safety data sheet: GBK GmbH, Ingelheim,
sds@gbk-ingelheim.de

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Additional advice on labelling

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Pasty material; contains: Acrylic copolymer, Fillers, additives.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

Ensure of fresh air. If necessary, give oxygen. Care for immobility and protect against heat loss. If symptoms persist, call a physician.

After contact with skin

Wash off immediately with soap and plenty of water. Consult a doctor if skin irritation persists.

After contact with eyes

Remove contact lens. Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 18.03.2019

Kerafix® Firestop Putty

11731-022

ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 2 of 6

consult a specialist.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Refer to section: 11.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO₂), dry chemical, water-spray.

Unsuitable extinguishing media

Not known.

5.2. Special hazards arising from the substance or mixture

The formation of toxic gases is possible during heating or in case of fire (for example: carbon monoxide and traces of incompletely burned hydrocarbons).

5.3. Advice for firefighters

Environment-independent breathing apparatus.

Additional information

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Dispose of contaminated material as waste according to section 13. Take up mechanically.

6.4. Reference to other sections

Information for personal protective equipment look up section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Information for personal protective equipment look up section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in cool, dry place in tightly closed containers. Prevent penetration into the ground.

Hints on joint storage

Do not store together with food.

Further information on storage conditions

Protect from heat and direct solar radiation.

7.3. Specific end use(s)

Acrylic sealant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 18.03.2019

Kerafix® Firestop Putty

11731-022

ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 3 of 6

Additional advice on limit values

The product contains no relevant quantities of materials with critical values that require monitoring at the workplace.

8.2. Exposure controls

Protective and hygiene measures

Take the usual precautions when handling with chemicals. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing.

Eye/face protection

Safety goggles (EN 166).

Hand protection

Protective gloves (EN 374) Safety gloves for the site (EN420, Cat. 1 or 2).

Suitable materials also for extended, direct contact (recommended: protection index 6, corresponding to a permeation rate > 480 minutes according to EN 374): Nitrile rubber/nitrile latex - NBR (0,35 mm)

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

Breathing protection is not necessary in the case of correct usage under normal conditions. In case of insufficient ventilation, wear suitable respiratory equipment (Multi-purpose filter ABEK).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	pasty
Colour:	according to product specification
Odour:	Characteristic

pH-Value: Not applicable.

Changes in the physical state

Melting point: Not applicable.

Initial boiling point and boiling range: Not determined.

Sublimation point: Not applicable.

Flash point: Not applicable

Sustaining combustion: Not sustaining combustion

Flammability

Solid: Not applicable.

Explosive properties

The product is not explosive.

Lower explosion limits: Not determined

Upper explosion limits: Not determined

Ignition temperature: Not applicable

Auto-ignition temperature

Solid: Not applicable.

Decomposition temperature: Not applicable.

Oxidizing properties

The product is not self-igniting

Vapour pressure: Not applicable.

Density (at 20 °C): 1,43 g/cm³

Water solubility:
(at 20 °C) Completely miscible



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 18.03.2019

Kerafix® Firestop Putty

11731-022

ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 4 of 6

Solubility in other solvents

Not determined

Partition coefficient:

Not applicable.

Viscosity / dynamic:

Not determined

Viscosity / kinematic:

Not determined

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed. Protect from heat and direct solar radiation.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct solar radiation.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicological data available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Repeated or prolonged exposure may cause irritation of eyes and skin.

Sensitising effects

Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 18.03.2019

Kerafix® Firestop Putty

11731-022

ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 5 of 6

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

___ Low hazard to waters. Do not discharge into the drains/surface waters/ground water. ___

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Disposal in accordance with local regulations. The hardened material can be disposed of together with the household rubbish or commercial waste. Unused material (liquid, pasty) must be disposed of as hazardous waste.

Contaminated packaging

___ Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Contaminated packagings are to be treated like the product itself. ___

SECTION 14: Transport information

Land transport (ADR/RID)

- | | |
|--|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

- | | |
|--|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

- | | |
|--|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

- | | |
|--|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

Other applicable information

Not applicable. No hazardous material as defined by the transport regulations.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 18.03.2019

Kerafix® Firestop Putty

11731-022

ROLFKUHN GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 6 of 6

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)
(SEVESO III):

Additional information

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Update 2019

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
(Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

Relevant H and EUH statements (number and full text)

EUH208 Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

